# ThinkVision T24m-20 62CDGAR6AU

#### Product

ThinkVision T24m-20

#### Machine Type

62CD

#### Region

APS

#### Display Size

23.8"

#### View Area

535.1x296.5 mm

#### Panel

In-Plane Switching

#### Aspect Ratio

16:9

### Resolution

1920x1080

#### Pixel Pitch

0.2745x0.2745 mm

#### Dot / Pixel Per Inch

93 dpi

### View Angle (H / V)

178 / 178

#### Pixel Response Time

4 ms (Extreme mode) / 6 ms (Typical mode)

#### Refresh Rate

60 Hz

### Brightness

250 nits

#### Contrast Ratio

1000:1

### Color Gamut

72% NTSC

### Anti-glare

Yes

#### Multiple Input

HDMI, DP, USB Type-C Gen 1

#### USB Port

4x USB 3.2 Gen 1 (1x BC 1.2)

#### Camera

None

### Microphone

None

### Speaker

None

#### Power Consumption (Typical / Maximum)

22W / 140W

#### Power Adapter

Integrated

#### Stand

Tilt, Swivel, Pivot, Height Adjust Stand

#### Color

Raven Black

#### Side Bezel Width

2 mm

#### Dimensions with Stand (HxWxD)

567.1x539.8x204.9 mm

#### Weight (Including Stand)

13.5 lbs / 6.1 kg

#### Monitor cable

USB Type-C to Type-C

#### **ENERGY STAR**

Yes

#### TCO

TCO 8.0

#### **EPEAT**

Gold

### Low Blue Light / Eye Comfort / Eyesafe Display

Low Blue Light (Hardware), Eye Comfort, Eyesafe

### Base Warranty

3-year

#### Operating System Support

Support Windows 7, Windows 10

### Sync Technology

None

#### CPU / Platform / Tiny Support

Tiny / Nano Support

### Display Ram / Storage / Card Slot

None / None / None

#### Wireless / Ethernet / Bluetooth

Ethernet (10M/100M/1000M)

#### Touch Screen / Digitizer Pen / Battery

None / None / None

#### EAN/UPC/JAN

0195713896764

#### Announce Date

2021-07-06

# WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.



### https://psref.lenovo.com

Visit psref website for the latest version of Product specifications Reference.
© Lenovo, 2021. All rights reserved.



# ThinkVision T24m-20

### **DISPLAY**

Panel Size 23.8-inch

**Screen Dimensions** 535.1 mm x 313.1 mm

Panel Type 3-side NearEdgeless

In-Plane Switching

Active Area 527.0 mm x 296.5 mm

Backlight WLED

**Aspect Ratio** 16:9

Resolution 1920 x 1080

Pixel Pitch

Dot/Pixel Per Inch (DPI/PPI)

0.2745 mm x 0.2745 mm

Viewing angle (H x V @ CR 10:1) 178° / 178°

Response Time 4ms (Extreme Mode) 6ms (Normal Mode)

Refresh Rate 60 Hz

Brightness (typical) 250 cd/m<sup>2</sup>

Contrast Ratio (typical) 1000:1

Dynamic Contrast Ratio (typical) 3M:1

Color Gamut 72% NTSC (CIE 1931)

Color Support (typical) 16.7 Million

Color Depth 8-bit (6+FRC)

Anti-glare Yes

### CONNECTIVITY

Video Signal 1 x USB Type-C1 Gen1 (DP1.2 Alt Mode) 1 x HDMI 1.4 1 x DP 1.2 1 x DP Out

**Audio Signal** 1 x Audio Out (3.5mm)

**USB Hub** Yes

Ethernet Yes (10M/100M/1000M)

**USB** Upstream 1 x USB3.2 Gen1 (1 by USB Type-C1)

USB Downstream 4 x USB3.2 Gen1 (1 x BC1.2)

## SPECIAL FEATURES

Software

Lenovo ThinkColour<sup>3</sup> (Lenovo Display Control Center)

## POWFR

Power Consumption (Tvp./Max) 22W / 140W

**Power Consumption** Sleep/Off Mode  $< 0.5W^{4}$ 

**Power Consumption** Switch-Off Mode < 0.3W

**Energystar Power** Consumption (Pon/E<sub>TC</sub>) 15W / 49kWh

**Power Supply** Internal

USB Type-C1 (DP Alt Mode) power delivery

Up to 90W<sup>5</sup>

Smart Power<sup>2</sup>

Voltage Required AC 90 to 264 V (50-60 Hz)

### MECHANICAL

Tilt Angle (front/back) -5° / 35°

Swivel Angle (left/right) -45° / 45°

Lift (Max range) 150 mm

Pivot -90° / 90°

**VESA Mount Capability** Yes (100 x 100 mm)

ThinkCentre M Series Tiny support Yes, by Tiny monitor clamp II

(PN: 4XH0Z42451) & Tiny VESA mount II (PN: 4XF0N03161)

ThinkCentre M Series Nano support

Yes, by Nano monitor clamp II (PN: 4XH0Z42451) & Nano VESA mount (PN: 4XF0V81630)

**Kensington Lock Slot** 

Cable Management Yes

**Bezel Color** Raven Black Bezel Width(side)

2.0 mm

Bezel Width(top/bottom)

2.0 / 22.0 mm

### DIMENSION

Size Packed (D x H x W, mm/inch) 161.0 x 480.0 x 604.0 mm 6.34 X 18.89 X 23.78 inches

Size Unpacked w/stand (D x H x W)(mm/inch) (Lowest position)

204.9 x 417.1 x 539.8 mm 8 09 x 16 42 x 21 25 inches

Size Unpacked w/stand (D x H x W)(mm/inch) (Highest position)

204.9 x 567.1 x 539.8 mm 8.09 x 22.33 x 21.25 inches

Size Unpacked w/o stand (Head Only) (D x H x W) (mm/inch)

44.4 x 325.9 x 539.8 mm 1.75 x 12.83 x 21.25 inches

Weight Packed (kg/lb) 8.9 kg / 19.7 lbs.

Weight Unpacked (kg/lb) 6.1 kg / 13.5 lbs.

Weight (Monitor Head Only) (kg/lb) 3.6 kg / 8.0 lbs.

## WHAT'S IN THE BOX

Monitor with stand 1 x Power cable (1.8m) 1 x DP cable (1.8m) for US, Canada 1 x USB Type-C to Type-A cable (1.8m) for US. Canada 1 x USB Type-C to Type-C cable (1.8m) Quick setup quide

### CERTIFICATION

**ENERGY STAR Certification** 

Yes

CCC Yes

TCO 8.0

> TCO Edge 2.0

**EPEAT** Gold

EU(2011/65/EC)

Windows Certification Windows 7. Windows 10

China Energy Efficiency Standard

TÜV Rheinland Eye Comfort

TÜV Rheinland Flicker Free

TÜV Low Blue Light (Hardware Solution)

**Eyesafe Display Certification** 

















1 USB Type-C\* and USB-C\* are registered trademarks of USB Implementers Forum. 2 The Smart Power function intelligently detects overall power consumption and dynamically manages the power delivery to each device. Up to 90W power delivery to compatible devices by USB Type-C, typical power delivery is 65W. 3 This software can only be used with Windows 10. 4 For DP/HDMI mode. 5 Listed as maximum capacity of power delivery. Actual capacity of power delivery may vary depending upon devices connected or monitor configuration, and may decline with downstream USB ports connected or higher brightness setting.

Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications; 5 Gbit/s for USB 3.2 Gen 1; 10 Gbit/s for USB 3.2 Gen 2 & 20 Gbit/s for USB 3.2 Gen 2 x2.

© 2021 Lenovo. All rights reserved. These products are available while supplies last. Prices shown are subject to change without notice. For any questions concerning price, please contact your Lenovo Account Executive. Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC 27709, Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, and ThinkVision are trademarks or registered trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside, Intel Core, and Core Inside are trademarks of Intel Corporation in the U.S. and/or other countries. Other company, product, and service names may be trademarks or service marks of others.











