


Samsung Hospitality Displays

HRU750 Series (Korea)

Highlights

- Showcase content in UHD resolution with upscaling technology
- Provide enhanced images for more immersive viewing with UHD Dimming
- Improve picture clarity and detail with HDR10+
- Complement any room with slim, modern design
- Welcome guests with customizable and intuitive home application
- Offer guests easy access to various content and entertainment
- Allow guests to control room settings while managing potential energy use issues




UHD-Quality content delivery



Samsung's HRU750 displays offer hotel guests the vivid picture quality of home entertainment systems on their in-room screens. Through UHD upscaling technology, these refined displays showcase content at UHD resolution (3,840 x 2,160), and with four times the pixels of the FHD standard.

Enhanced image experience



The UHD dimming capability of the HRU750 Series allows hotel operators to provide an immersive viewing experience to their guests. By dividing the screen into small blocks, guests can see more precise details, offering enhanced color, sharpness, and contrast level for optimized in-room viewing.

Access all the latest content



Samsung's Smart hub offers guests easy access to a variety of custom content. Guests can enjoy their favorite entertainment during the stay as if they are at home.


* Some of the applications may not be supported in specific regions or countries.

Refined picture quality



Beyond consistent UHD quality, Samsung's HRU750 Series brings the power of High Dynamic Range (HDR10+) picture refinement to any hotel room. Using dynamic metadata that fine-tunes each frame within a given program, HDR10+ technology delivers an optimal, detail-rich and memorable viewing experience.

Creating a memorable welcome



Samsung's HRU750 hospitality display provides an intuitive, customizable home application for guests. Through this, hotel managers can easily incorporate welcome messages to guests, hotel logos and branding, other useful information such as internal phone numbers.

Slim, sleek design



The HRU750 Series has a slim, modern design, offering a UHD solution that naturally fits into any hotel style with a sleek and polished finish. The flat back and slim depth will also ensure a display that stands the test of time, while freeing up space to create a more harmonious room environment.


* Actual product may differ from image shown. Please see our product gallery for more detail.



TV Plus



HMS



One Remote

* TV Plus may not be supported in specific regions or countries.





Model		43RU750NF	49RU750NF	55RU750NF	65RU750NF	
디스플레이	백라이트	LED	LED	LED	LED	
	화면사이즈 (cm)	108	123	138	163	
	해상도	3,840 x 2,160	3,840 x 2,160	3,840 x 2,160	3,840 x 2,160	
비디오	화질엔진	UHD Engine	UHD Engine	UHD Engine	UHD Engine	
	마이크로 디밍	UHD Dimming	UHD Dimming	UHD Dimming	UHD Dimming	
	오토 모션 플러스	있음	있음	있음	있음	
	필름 모드	있음	있음	있음	있음	
	Natural Mode Support	있음	있음	있음	있음	
	Motion Rate	120	120	120	120	
	PQI (Picture Quality Index)	1300	1300	1300	1300	
	HDR(High Dynamic Range)	HDR	HDR	HDR	HDR	
	HDR10+	있음	있음	있음	있음	
	HLG (Hybrid Log Gamma)	있음	있음	있음	있음	
	명암비	Mega Contrast	Mega Contrast	Mega Contrast	Mega Contrast	
	컬러	PurColor	PurColor	PurColor	PurColor	
	시아각 (H/V)	178/178	178/178	178/178	178/178	
	Auto Depth Enhancer	N/A	N/A	N/A	N/A	
	Contrast Enhancer	있음	있음	있음	있음	
	음향	돌비	있음	있음	있음	있음
		DTS 코덱	N/A	N/A	N/A	N/A
음성출력 (RMS)		20W	20W	20W	20W	
스피커 종류		2CH	2CH	2CH	2CH	
우퍼		N/A	N/A	N/A	N/A	
Smart TV	Samsung SMART TV	Smart	Smart	Smart	Smart	
	Voice Interaction	N/A	N/A	N/A	N/A	
	TV Plus	있음	있음	있음	있음	
	웹브라우저	있음	있음	있음	있음	
	SmartThings 모바일 앱 호환	N/A	N/A	N/A	N/A	
	SmartThings	N/A	N/A	N/A	N/A	
VESA	유니버설 가이드	N/A	N/A	N/A	N/A	
	VESA 마운트	200 x 200 mm	200 x 200 mm	200 x 200 mm	400 x 400 mm	
	VESA Screw Size	M8	M8	M8	M8	
Smart Interaction	VESA Screw 깊이	43-45	43-45	43-45	43-45	
	음성 컨트롤	N/A	N/A	N/A	N/A	
	Convergence	TV → 모바일 (Mirroring)	N/A	N/A	N/A	N/A
모바일 → TV (Mirroring, DLNA)		있음	있음	있음	있음	
360 비디오 플레이어		N/A	N/A	N/A	N/A	
360 카메라 지원		N/A	N/A	N/A	N/A	
Easy Setup		없음	없음	없음	없음	
Bluetooth Low Energy		N/A	N/A	N/A	N/A	
WiFi Direct		N/A	N/A	N/A	N/A	
TV Sound to Mobile (BT)		N/A	N/A	N/A	N/A	
사운드미러링 (BT)		N/A	N/A	N/A	N/A	
기능	프로세서	Quad-Core	Quad-Core	Quad-Core	Quad-Core	
	Accessibility	Grayscale/ Caption Setting/ Voice Guide(US English)/ Enlarge/ High Contrast/ Multi-output Audio / Remote button Repeat setting	Grayscale/ Caption Setting/ Voice Guide(US English)/ Enlarge/ High Contrast/ Multi-output Audio / Remote button Repeat setting	Grayscale/ Caption Setting/ Voice Guide(US English)/ Enlarge/ High Contrast/ Multi-output Audio / Remote button Repeat setting	Grayscale/ Caption Setting/ Voice Guide(US English)/ Enlarge/ High Contrast/ Multi-output Audio / Remote button Repeat setting	
	Digital Clean View	있음	있음	있음	있음	
	자동채널설정	있음	있음	있음	있음	
	자동전원꺼짐	있음	있음	있음	있음	
	자막 지원	있음	있음	있음	있음	
	Connect Share™ (HDD)	있음	있음	있음	있음	
	ConnectShare™ (USB 2.0)	있음	있음	있음	있음	
	전자 프로그램 가이드 (EPG)	있음	있음	있음	있음	
	게임모드	있음	있음	있음	있음	
	OSD 지원언어	Korean, English	Korean, English	Korean, English	Korean, English	
	동시화면 (PIP)	N/A	N/A	N/A	N/A	
	블루투스 HID 내장	N/A	N/A	N/A	N/A	
	USB HID 내장	있음	있음	있음	있음	
	텔레텍스트 (TTX)	N/A	N/A	N/A	N/A	
	엠비언트 모드	N/A	N/A	N/A	N/A	

Model		43RU750NF	49RU750NF	55RU750NF	65RU750NF
기능	화질 보정 기술 (Ultra Clean View)	N/A	N/A	N/A	N/A
	V-Chip	N/A	N/A	N/A	N/A
	MBR 지원	있음	있음	있음	있음
	IPv6 지원	있음	있음	있음	있음
시스템	디지털 튜너 내장	ATSC 3.0	ATSC 3.0	ATSC 3.0	ATSC 3.0
	아날로그 튜너	있음	있음	있음	있음
	CI (Common Interface)	N/A	N/A	N/A	N/A
	데이터 방송	N/A	N/A	N/A	N/A
Hospitality 기능	삼성 LYNK™ HMS	있음	있음	있음	있음
	H.Browser Compatibility	N/A	N/A	N/A	N/A
	삼성 LYNK™ REACH (IP)	N/A	N/A	N/A	N/A
	삼성 LYNK™ REACH (RF)	N/A	N/A	N/A	N/A
	Hospitality Home Menu	N/A	N/A	N/A	N/A
	Bluetooth Music Player (모바일 → TV)	N/A	N/A	N/A	N/A
	Hospitality Plug&Play (Easy Set-up)	있음	있음	있음	있음
	Auto Source Mode	N/A	N/A	N/A	N/A
	Power On Mode	있음	있음	있음	있음
	Hotel Channel List	있음	있음	있음	있음
	Channel Menu Display	있음	있음	있음	있음
	Mixed Channel List (ATSC, DVB-T/T2/C/S2, Analog)	있음	있음	있음	있음
	My Channel	있음	있음	있음	있음
	에너지절감모드	있음	있음	있음	있음
	로고 디스플레이 (BMP/Movie)	N/A	N/A	N/A	N/A
	웰컴메세지	N/A	N/A	N/A	N/A
	RJ12/IR Pass Through	N/A	N/A	N/A	N/A
	External Clock Compatibility	N/A	N/A	N/A	N/A
	Clock Back Up Supply	N/A	N/A	N/A	N/A
	External Clock Dimming Control	N/A	N/A	N/A	N/A
	Software Clock	N/A	N/A	N/A	N/A
	1:1 리모컨	N/A	N/A	N/A	N/A
	도난방지 배터리 커버	N/A	N/A	N/A	N/A
	사운드바 연동	N/A	N/A	N/A	N/A
	Music Mode (Input: PC/AV/Component/HDMI)	N/A	N/A	N/A	N/A
	Music Mode Backlight on/off	N/A	N/A	N/A	N/A
	TTX Clock Update (Analogue)	N/A	N/A	N/A	N/A
	USB 설정복사	있음	있음	있음	있음
	Smovie Compatibility	N/A	N/A	N/A	N/A
	Soft AP	N/A	N/A	N/A	N/A
	On/Off Timer (Schedule)	N/A	N/A	N/A	N/A
	Wake-up Timer (Alarm)	있음	있음	있음	있음
	삼성 LYNK™ DRM	있음	있음	있음	있음
	Pro:Idiom	N/A	N/A	N/A	N/A
bLAN	N/A	N/A	N/A	N/A	
Security Mode	있음	있음	있음	있음	
S/W EPG (Solution EPG)	N/A	N/A	N/A	N/A	
IP Over Coax	N/A	N/A	N/A	N/A	
UL 인증	N/A	N/A	N/A	N/A	
Input & Output	HDMI (Side/Rear)	3	3	3	3
	USB (Side/Rear)	2	2	2	2
	Component In (Y/Pb/Pr) (Side/Rear)	1	1	1	1
	Composite In (AV) (Side/Rear)	1 (Common Use for Component Y)	1 (Common Use for Component Y)	1 (Common Use for Component Y)	1 (Common Use for Component Y)
	Ethernet (LAN) (Side/Rear)	있음	있음	있음	있음
	Headphone (Side/Rear)	N/A	N/A	N/A	N/A
	Audio Out (Mini Jack / LR) (Side/Rear)	N/A	N/A	N/A	N/A
	Digital Audio Out (Optical) (Side/Rear)	1	1	1	1
	RF In (Terrestrial / Cable input) (Side/Rear)	1/1/0	1/1/0	1/1/0	1/1/0
	Ex-Link (RS-232C)	N/A	N/A	N/A	N/A
CI Slot (Side/Rear)	N/A	N/A	N/A	N/A	

Model		43RU750NF	49RU750NF	55RU750NF	65RU750NF
Input & Output	HDMI A / Return Ch. Support	있음	있음	있음	있음
	Wireless LAN Built-in	있음	있음	있음	있음
	Anynet+ (HDMI-CEC)	있음	있음	있음	있음
	Pillow Speaker Jack (Side/Rear)	N/A	N/A	N/A	N/A
	Variable Audio Out (Side/Rear)	N/A	N/A	N/A	N/A
	Variable Audio Out Volume Control (Side/Rear)	N/A	N/A	N/A	N/A
	Video Out (Side/Rear)	N/A	N/A	N/A	N/A
	RJ12 (Side/Rear)	N/A	N/A	N/A	N/A
	RJP (Remote Jackpack) (Side/Rear)	N/A	N/A	N/A	N/A
	Headphone ID (Side/Rear)	N/A	N/A	N/A	N/A
	Door-Eye Control (Side/Rear)	N/A	N/A	N/A	N/A
	Door-Eye Video In (Side/Rear)	N/A	N/A	N/A	N/A
	PC In (D-sub) (Side/Rear)	N/A	N/A	N/A	N/A
	PC/DVI Audio In (Mini Jack) (Side/Rear)	N/A	N/A	N/A	N/A
Ethernet Bridge (LAN-Out)	N/A	N/A	N/A	N/A	
디자인	전면 색상	CHARCOAL BLACK	CHARCOAL BLACK	CHARCOAL BLACK	CHARCOAL BLACK
	스탠드 형태	Simple	Simple	Simple	Simple
	회전형 스탠드	N/A	N/A	N/A	N/A
	Bezel Type	VNB	VNB	VNB	VNB
	Light Effect (Deco)	N/A	N/A	N/A	N/A
환경	에너지효율 등급	1	1	1	1
	에코 센서	있음	있음	있음	있음
전원	정격 전압	AC 220-240V 50/60Hz	AC 220-240V 50/60Hz	AC220-240V 50/60Hz	AC 220-240V 50/60Hz
	소비전력 (Max)	115 W	125 W	140 W	170 W
	소비전력 (Energy Saving Mode)	N/A	N/A	N/A	N/A
	소비전력 (Stand-by)	0.3 W	0.3 W	0.3 W	0.3 W
	소비전력 (Typical)	42.0 W	47.0 W	54.0 W	64.0 W
크기	스탠드 제외 크기 (가로x높이x두께)(mm)	970.2 x 563.2 x 58.2 mm	1102.8 x 637.8 x 59.1 mm	1238.6 x 714.2 x 58.7 mm	1457.5 x 837.3 x 59.1 mm
	스탠드 포함 크기 (가로x높이x두께) (mm)	970.2 x 636.3 x 210.3 mm	1102.8 x 716.4 x 261.3 mm	1238.6 x 792.8 x 261.3 mm	1457.5 x 917.3 x 312.8 mm
	포장 포함 크기 (가로x높이x두께) (mm)	1097 x 678 x 151 mm	1250 x 778 x 153 mm	1396 x 852 x 158 mm	1601 x 970 x 178 mm
무게	제품 무게 (스탠드 제외)	9.6 kg	13.2 kg	17.3 kg	25.0 kg
	제품 무게 (스탠드 포함)	9.8 kg	13.5 kg	17.7 kg	25.5 kg
	무게 (박스 포장)	12.6 kg	17.7 kg	22.2 kg	32.2 kg
액세서리	리모컨 모델	TM1240A	TM1240A	TM1240A	TM1240A
	배터리(리모컨용)	있음	있음	있음	있음
	스마트 리모컨	N/A	N/A	N/A	N/A
	미니 월마운트	있음	있음	있음	있음
	VESA 월마운트	있음	있음	있음	있음
	사용자 매뉴얼	N/A	N/A	N/A	N/A
	안테나 케이블	있음	있음	있음	있음
	전원 케이블	있음	있음	있음	있음
	빠른 설치 가이드	있음	있음	있음	있음
	데이터 케이블	N/A	N/A	N/A	N/A
	Stand Mount Kit	N/A	N/A	N/A	N/A
	병원향 화이트 리모컨	N/A	N/A	N/A	N/A
	Angle Adaptor (for Side RF tuner)	N/A	N/A	N/A	N/A
	전자 매뉴얼	N/A	N/A	N/A	N/A
밀착 월마운트	N/A	N/A	N/A	N/A	
별매 스탠드 (Lifestyle) 지원	N/A	N/A	N/A	N/A	
슬림젠더 케이블	N/A	N/A	N/A	N/A	

Specifications





HG43RU750AKXXY



Connectors

1. 디지털 음성 출력(옵티칼)
2. USB (5V 0.5A)
3. USB (HDD 5V 1A)
4. HDMI 입력 3 (ARC)
5. HDMI 입력 2
6. HDMI 입력 1
7. 안테나 입력
8. 외부입력
9. LAN

HG49RU750AKXXY







Connectors

1. 디지털 음성 출력(옵티칼)
2. USB (5V 0.5A)
3. USB (HDD 5V 1A)
4. HDMI 입력 3 (ARC)
5. HDMI 입력 2
6. HDMI 입력 1
7. 안테나 입력
8. 외부입력
9. LAN

Specifications





HG55RU750AKXXY



Connectors

1. 디지털 음성 출력(옵티칼)
2. USB (5V 0.5A)
3. USB (HDD 5V 1A)
4. HDMI 입력 3 (ARC)
5. HDMI 입력 2
6. HDMI 입력 1
7. 안테나 입력
8. 외부입력
9. LAN

HG65RU750AKXXY



Connectors

1. 디지털 음성 출력(옵티칼)
2. USB (5V 0.5A)
3. USB (HDD 5V 1A)
4. HDMI 입력 3 (ARC)
5. HDMI 입력 2
6. HDMI 입력 1
7. 안테나 입력
8. 외부입력
9. LAN

About Samsung Electronics Co., Ltd.

Samsung Electronics Co., Ltd. inspires the world and shapes the future with transformative ideas and technologies. The company is redefining the worlds of TVs, smartphones, wearable devices, tablets, cameras, digital appliances, medical equipment, network systems, and semiconductor and LED solutions. For the latest news, please visit Samsung Newsroom at <http://news.samsung.com>

Hospitality Display

For more information about Samsung Hospitality Displays, visit www.samsung.com/business or www.samsung.com/displaysolutions

Copyright © 2019 Samsung Electronics Co. Ltd. All rights reserved. Samsung is a registered trademark of Samsung Electronics Co. Ltd. Specifications and designs are subject to change without notice. Non-metric weights and measurements are approximate. All data were deemed correct at time of creation. Samsung is not liable for errors or omissions. All brand, product, service names and logos are trademarks and/or registered trademarks of their respective owners and are hereby recognized and acknowledged.

Samsung Electronics Co., Ltd.
416, Maetan 3-dong, Yeongtong-gu
Suwon-si, Gyeonggi-do 443-772, Korea

2019-05



Scan this code with your smartphone
to download the Samsung Display Solutions Mobile App.