


FEC

INTRODUCING FEC XPPC LIGHT SERIES

POWERFUL AND FLEXIBLE POS SOLUTIONS




PP-9735L

XPPC Fanless
15inch
CPU: J6412



PP-9735WL

XPPC Fanless
15.6inch
CPU: J6412



PP-9732WL

XPPC Fanless
21.5inch
CPU: J6412

● **Versatile Product Range – Sharing Peripherals**


FEC offers a diverse product range that allows you to seamlessly share peripherals among different devices within the same family.

● **Swift and Adaptable Mass Customisation**

With FEC, you benefit from rapid and adaptable mass customisation capabilities, ensuring your unique requirements are met efficiently.

● **Comprehensive In-House Expertise**

FEC boasts in-house design, manufacturing, and technical services, guaranteeing a holistic and responsive approach to your specific needs.



XPPC FANLESS 15" PANEL PC

Meet the PP-9735L, a seamless extension of the XPOS legacy, boasting a sleek single-hinge design. Powered by the Intel Elkhart Lake 10th Gen Processor and high-speed PCIe M.2 SSD, it redefines performance.

Enjoy customisable angles and heights for an enhanced viewing experience. Desktop, pole, or wall-mount options adapt to any setup. Maintenance is a breeze with easy access to components, while shared peripherals streamline connectivity with XPOS. Elevate your computing with the PP-9735L – where innovation meets elegance.



FOR FULL PART AND ORDER CODES REFER TO APPENDIX

**E&OE – Specifications subject to change.*

PP-9735 Product Specifications

| | |
|--------------|--|
| Processor | Intel® Celeron® Processor J6412 (1.5M Cache, up to 3.00 GHz) |
| Memory | DDR4 (1 x SODIMM Socket) Up to 32GB |
| Storage | 1 x M.2 PCIe GenIII / SATAIII Tray |
| Display size | 15" |
| Brightness | 350 nits |
| Touch | P-CAP |
| Mounting | VESA 100 * 100 |
| O/S | Windows 10 Enterprise Windows 11 Enterprise Linux by Request |
| Warranty | 2 Years |

● PP-9735L A QUICK VIEW



*E&OE – Specifications subject to change.

XPPC FANLESS 15.6" PANEL PC

Discover the PP-9735WL, a masterpiece that embraces the legacy of XPOS DNA while redefining innovation with its slim single-hinge design. Fueled by the Intel Elkhart Lake 10th Generation Processor, it boasts unrivalled performance coupled with high-speed PCIe M.2 SSD support for lightning-fast data access. Whether elegantly stationed on a desktop, gracefully mounted on a pole, or artfully displayed on a wall, the PP-9735WL adapts effortlessly. Maintenance is streamlined with convenient access to DRAM, SSD, and MB components, ensuring hassle-free upkeep. Moreover, it seamlessly shares peripherals with XPOS, exemplifying efficiency at its finest.




FOR FULL PART AND ORDER CODES REFER TO APPENDIX

PP-9735W Product Specifications

| | |
|--------------|--|
| Processor | Intel® Celeron® Processor J6412 (1.5M Cache, up to 2.60 GHz) |
| Memory | DDR4 (1 x SODIMM Socket) Up to 32GB |
| Storage | 1 x M.2 PCIe GenIII / SATAIII Tray |
| Display size | 15.6" |
| Brightness | 300 nits |
| Touch | P-CAP |
| Mounting | VESA 100 * 100 |
| O/S | Windows 10 Enterprise Windows 11 Enterprise Linux by Request |
| Warranty | 3 Years |


*E&OE – Specifications subject to change.



*E&OE – Specifications subject to change.

FEC offers great flexibility with options to meet all of your peripheral and customer needs. A few features to note are:


- Easily accessible M.2 Storage tray allows for easy upgrades or replacement.
- Locking connector for power supply.
- Expand connection options with smart I/O –smart DD connection a single cable to power, data share and touch to your FEC second display



*E&OE – Specifications subject to change.


1

Smart I/O port to DB9 (RS232) Male Port



2

Smart I/O port to DC-out 12V




3

Smart I/O port to PUSB12V




4

Smart I/O port to USB 2.0 Type B Male and DC-out 24V (3pin)



5

Smart I/O port to USB 2.0 Type B Male and DC-out 12V



FEC unique design features ensure your POS system is future-proof. To meet your current or future connectivity requirements, the use of the FEC Smart DD cable will provide you with the flexibility to connect any device to your FEC pos system.

For example:

Use option 4 below to connect power and data to your thermal receipt printer.

OR

Use option 3 to connect power and data to a scanner scale seamlessly to your FEC pos unit.

*E&OE – Specifications subject to change.

FEC offers a full range of peripherals to customise your POS unit.
 Add a secondary display to inform/interact with your customer
 OR
 Add a MSR or fingerprint reader to assist with staff log in.



*E&OE – Specifications subject to change.

Mounting versatility is a cornerstone feature across all FEC POS devices, featuring a 100x100 industry-standard VESA fitting. FEC POS terminals can be easily mounted in various locations, whether it's attaching them to an ergonomic space pole or affixing them to the ceiling or a wall mount.

FEC offer 2 wall mount bracket options:

- Type 1: A slim option
- Type 2: Provide storage for the power supply unit



Wallmount kit
Type I

Mounting Kit
VESA 100 x 100



Wallmount kit
Type II

Mounting Kit
VESA 100 x 100



*E&OE – Specifications subject to change.

XPPC FANLESS 22" PANEL PC

FEC PP-9732WL 22" Panel PC is a versatile and feature-rich solution designed to cater to the diverse needs of businesses that require a reliable, adaptable, and easily maintainable solution. Its combination of flexible mounting options, interactive touch display, energy-efficient processor, and the availability of various optional peripherals makes it suitable for various industries, including retail, hospitality, and more.




FOR FULL PART AND ORDER CODES REFER TO APPENDIX


**E&OE – Specifications subject to change.*

PP-9732W Product Specifications

| | |
|--------------|--|
| Processor | Intel® Celeron® Processor J6412 (1.5M Cache, up to 3.00 GHz) |
| Memory | DDR4 (1 x SODIMM Socket) Up to 32GB |
| Storage | 1x M.2 Support PCIe GenIII or SATAIII (default) Tray |
| Display size | 21.5" |
| Brightness | 250 nits |
| Touch | P-CAP |
| Mounting | VESA 100 * 100 |
| O/S | Windows 10 Enterprise Windows 11 Enterprise Linux by Request |
| Warranty | 3 Years |




*E&OE – Specifications subject to change.



*E&OE – Specifications subject to change.

FEC offers great flexibility with options to meet all of your peripheral and customer needs. A few features to note are;

- Easily accessible M.2 Storage tray allows for easy upgrades or replacement.
- Locking connector for power supply.
- Expand connection options with smart I/O – smart DD connection a single cable to power, data share and touch to your FEC second display




*E&OE – Specifications subject to change.

Mounting versatility is a cornerstone feature across all FEC POS devices, featuring a 100x100 industry-standard VESA fitting. FEC POS terminals can be easily mounted in various locations, whether it's attaching them to an ergonomic space pole or affixing them to the ceiling or a wall mount.

FEC offer 2 wall mount bracket options:


- Type 1: A slim option
- Type 2: Provide storage for the power supply unit

MOUNTING OPTION – Wall Mount Bracket



Type 1 FEC Universal Mounting Kit

- Thickness of wall mount bracket (no space for power adapter)= 21mm




Type 2 FEC Mounting Kit

- Thickness of Wall Mount bracket (space for power adapter)= 57mm

Use the FEC panel mount to embed into custom made joinery. Creating your own custom kiosk or touch interactive display. Engage where your customer meets your brand!

MOUNTING OPTION – Panel Mount Bracket



*E&OE – Specifications subject to change.

● PP-9732WL MOUNTING OPTIONS

FEC has dedicated resources to develop a product portfolio perfectly aligned with the standard operating environments of retailers, offering a range of versatile mounting options. By employing any of FEC's products, be it for kiosk (XELF), wall, or pole mounting, you can be confident in having a suitable form factor to engage your customers effectively in any setting.



Xelf



XPPC Stand



Wall Mount



Pole



*E&OE – Specifications subject to change.

Join the FEC X-Factor Partner Program today and enjoy exceptional offers, promotions, and resources tailored to enhance your business. From lead generation to valuable referrals, we have your success in mind.

When you become a member of the FEC X-Factor program, you gain access to a supportive network like no other. We are dedicated to providing you with the assistance and backing you need for lasting success.

Don't miss out on this incredible opportunity to be a part of the FEC X-Factor Partner Program. Elevate your journey with us and empower your business today!

[JOIN MEMBERSHIP PROGRAM](#)



EXCLUSIVE DISCOUNTS AND OFFERS



LIBRARY OF MARKETING COLLATERAL







EARLY ACCESS TO NEWS AND EVENTS



LEAD GENERATION INITIATIVES

**E&OE – Specifications subject to change.*

| PICTURE | SKU | DESCRIPTION |
|---|-----------------|--|
|  | TTFIPP9735L001 | FEC PP-9735L J6412 8/128 15P STD BLK W10 |
|  | TTFIPP9735WL001 | FEC PP-9735WL J6412 8/128 15.6P STD BLK W10 |
|  | TTFIPP9735WL006 | FEC PP-9735WL J6412 8/128 15.6P STD BLK W11 |
|  | TTFIPP9732WL001 | FEC PP-9732WL J6412 8/128 21.5P NO/STD BLK W10 |

[Log into](#) the Sektor Website to access your member pricing.

*E&OE – Specifications subject to change.

FEC strives to deliver customer-centric POS systems, designed with retail environments in mind. Their family approach entails a full suite of peripherals and mounting options to ensure flexibility and customization. FEC boasts a comprehensive and professional POS R&D team, as well as in-house factories that provide customized POS systems with exceptional quality and reliability. By incorporating modular product design concepts and flexible manufacturing capabilities, FEC precisely meets market needs and provides customer-driven products. Their commitment to providing innovative solutions empowers businesses to maximize their potential. This is achieved through the following:

- A comprehensive range of peripherals to tailor the POS unit to your needs.
- Flexible mounting options to accommodate any retail environment.
- Straightforward and accessible maintenance.
- Robust I/O capability to meet extensive demands.



**E&OE – Specifications subject to change.*